Little Ant®

HUBEI LITTLE ANT DIAMOND TOOLS CO.,LTD.

Factory Address: Economic Industrial Zone,
Huangmei County,Huanggang City,Hubei Province, China
Tel: 0086-0713-3200976

Office Address: Floor 20,Xunnan Business Center,
Xunnan Road,Jiujiang City,Jiangxi Province,China
Tel: 0086-0792-8135699
Email: info@little-ant.cn
Web: www.littleanttools.com
www.littleant-tools.com

LITTLE ANT DIAMOND TOOLS



ABOUT LITTLE ANT

Diamond Tools

Hubei Little Ant Diamond Tools Co. , Ltd.
Our mission is to make stone polishing and cutting easier, thus to help customers save production cost. It is our original goal to keep developing the new products and technique to provide better service for the end-users in this field.

Saw Blade

Jiangxi Little Ant Tools Co., LTD
Our mission is to offer full series of cutting, drilling and grinding for stone, concrete, wood and ceramic, making the work easier and happier.

Hardware And Machinery

The Home of Little Ant Industry（Shanghai）Co. , Ltd.
Produce and sell Hardware, Electric machine, Hand machine, and so on, make you get various of tools here.





LITTLE ANT PROFILE







Found in 2002, Hubei Little Ant Diamond Tools Co., Ltd. is a company specializing in the production of diamond tools, located in Huanggang City of Hubei Province, one of the biggest diamond tools processing centers in China.

The factory covers an area of modern standard factory, workshops, office building and warehousing center, now the total area is more than 90,000 square meters. In this big family, there are more than 500 experienced and devoted employees, engaged in research, development, production, sales and after-sales service. Nowadays, Little Ant is now one of the biggest manufacturers of diamond tools for stone processing, providing products for polishing, cutting, grinding, and drilling. Keep developing the new products, Little Ant is always the leader of diamond tools in China, especially the polishing pad.

Little Ant products are not only friendly to the distributor, but also to end-users, matching with most of the current machines, like HTC, Klindex, Husqvarna, not only with consistent good performance, but also with reasonable cost, which helps thousands of clients to solve the problems of stones all over the world, and maintain a win-win cooperation with Little Ant..

As Little Ant grows stronger and stronger, we find the other two branches develop concrete products and repeat tests before being sent to market to ensure the best quality and price.

Now Little Ant offers all series products of stone & concrete for all clients and solves more problems for more people. We wish to create a brilliant future with our customers hand in hand.

CONTENT


Little Ant	About Little Ant	01-02
	Polishing Pad Series	04-16
	Grinding Wheel Series	17
	Metal Grinding Plate Series	18-20
	Saw Blade Series	21-25
	Diamond Core Drill Bits Series	26
	Diamond segment	27
	Diamond wire saw series	28
	Top Grade Diamond	29
	Others	30

Product Category >>>

Dry Polishing Pad


Product Description

1-Dry use, adapt to various working conditions
2-Mainly used to polish and buff for edge, inner arc and surface of granite, marble etc;
3-Long life span, high sharpness and good polishing quality, without color faded




Honeycomb dry polishing pad

Model	Description	Diameter (inch/mm)	Grit
DPL3-HD	Hexagon dry polishing pad	3"/80mm	50# 100# 200# 400# 800# 1500# 3000# BUFF
DPL4-HD		4"/100mm	
DPL5-HD		5"/125mm	
DPL7-HD		7"/180mm	
5DPL4-HDB	5-step dry polishing pad	4"/100mm	1# 2# 3# 4# 5#
3DPL4-HDA	3-step dry polishing pad	4"/100mm	1# 2# 3#



Triangle dry polishing pad

Model	Description	Diameter (inch/mm)	Grit
DPS3-TD	Triangle dry polishing pad	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#
DPS4-TD		4"/100mm	
DPS5-TD		5"/125mm	
5DPS4-TDB	5-step dry polishing pad	4"/100mm	1# 2# 3# 4# 5#



Pressed dry polishing pad


Model	Description	Diameter (inch/mm)	Grit
DPL3-PDP	Pressed dry polishing pad	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#
DPL4-PDP		4"/100mm	

Product Category >>>

Super Polishing Pad Series


Product Description

1-Dry use, adapt to various working conditions
2-Mainly used to polish and buff for edge, inner arc,and flat surface of granite, marble etc;
3-Long life span, high sharpness and better performance than normal types, without color faded




Square dry polishing pad

Model	Diameter (inch/mm)	Grit	Application
DPM3-PSD	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
DPM4-PSD	4"/100mm		




Square dry polishing pad

Model	Diameter (inch/mm)	Grit	Application
DPF3-SD	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
DPF4-SD	4"/100mm		



Drip dry polishing pad

Model	Diameter (inch/mm)	Grit	Application
DPW3-WD	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
DPW4-WD	4"/100mm		



5-step dry polishing pad


Model	Diameter (inch/mm)	Grit	Application
5FP4-SD	4"/100mm	Coarse,A1,A2,A3, High gloss	Floor Polishing Pad

Product Category >>>

Wet polishing Pad series


Product Description

1-Wet use,less dust
2-Mainly used to polish and buff for edge, inner arc,and flat surface of granite, marble, quartz etc;
3-Long life span, high sharpness and good polishing result, without color faded



Square wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP3-SJ1	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
WP4-SJ1	4"/100mm		
WP5-SJ1	5"/125mm		
WP6-SJ1	6"/150mm		
WP8-SJ1	8"/200mm		



Spirl wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP3-LX	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
WP4-LX	4"/100mm		
WP7-LX	7"/180mm		



Product Category >>>

Wet Polishing Pad Series



Honeycomb wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP4-LB	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher



Honeycomb wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP4-LBN	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher



Square buff pad

Model	Diameter (inch/mm)	Grit	Application
buff	3"/80mm	white buff / black buff	Air Polisher, Electric polisher
buff	4"/100mm		




Product Category >>>

Wet polishing Pad series

Product Description

1-Wet use,less dust
2-Mainly used to polish and buff for edge, inner arc,and flat surface of granite, marble,quartz etc;
3-Long life span, high sharpness and good polishing result, without color faded



Square wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP3-SJ1W	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
WP4-SJ1W	4"/100mm		
WP5-SJ1W	5"/125mm		
WP6-SJ1W	6"/150mm		
WP8-SJ1W	8"200mm		



Spirl wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP3-LXW	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
WP4-LXW	4"/100mm		
WP7-LXW	7"/180mm		



Product Category >>>

3-step Polishing Pad Series

Product Description

1-Wet use,less dust
2-Mainly used to polish and buff for edge, inner arc,and flat surface of granite, marble,quartz etc;
3-Long life span, high sharpness and good polishing result, without color faded
4-simple work, higher efficiency




3-step wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
3WP4-SF	4"/100mm	1# 2# 3#(4#)	Air Polisher, Electric polisher



3-step wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
3WP4-ST	4"/100mm	1# 2# 3#	Air Polisher, Electric polisher



3-step wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
3WP4-BL	4"/100mm	1# 2# 3#	Air Polisher, Electric polisher

Product Category >>>

Resin Floor Polishing Pad Series

Product Description

1-Wet use,less dust, match with heavy-duty polishing machine
2-Mainly used to polish flat surface of granite, marble,concrete etc;
3-Long life span, high sharpness and good polishing result, without color faded



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-LC	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	wet use
FP4-LC	4"/100mm		



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-FX	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	dry/wet use
FP4-FX	4"/100mm		wet use



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-BC	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	dry/wet use
FP4-BC	4"/100mm		

Product Category >>>

Resin Floor Polishing Pad Series

Product Description

1-Wet use,less dust, match with heavy-duty polishing machine
2-Mainly used to polish flat surface of granite, marble,concrete etc;
3-Long life span, high sharpness and good polishing result, without color faded



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP4-HX	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	wet use



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP5-LX	5"/125mm	50# 100# 200# 400# 800# 1500# 3000#	wet use
FP7-LX	7"/180mm		



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP8-ZC	8"/200mm	50# 100# 200# 400# 800# 1500# 3000#	wet use
FP9-ZC	9"/230mm		



Resin Floor Polishing Pad Series

Product Description

1-Wet use,less dust, match with heavy-duty polishing machine
2-Mainly used to polish flat surface of granite, marble,concrete etc;
3-Long life span, high sharpness and good polishing result, without color faded

Model	Diameter (inch/mm)	Grit	Use type
FPNA-T9TD	100x90/75mm	50# 100# 200# 400# 800# 1500# 3000#	wet use



Abrasive wheel for edging series

Product Description

1-Used to do coarse,medium fine grinding and polishing on automatic machine
2-Wet use for Edge of stone

Model	Diameter (inch/mm)	Grit	Use type
FP4-LXB	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	wet use
FP5-LXB	5"/125mm		
FP6-LXB	6"/150mm		



Resin Floor Polishing Pad Series

Product Description

1-Wet use,less dust, match with heavy-duty polishing machine
2-Mainly used to polish flat surface of granite, marble,concrete etc;
3-Long life span, high sharpness and good polishing result, without color faded



Model	Diameter (inch/mm)	Description	Grit
FP10-LX	10"/250mm	50# 100# 200# 400# 1500# 3000#	wet use
FP12-ZC	12"/300mm		
FP13-ZC	13"/320mm		
FP14-ZC	14"/350mm		
FP16-ZC	16"/400mm		



Sponge polishing pad for stone



Model	Diameter (inch/mm)	Thickness	Description
SPP80	3"/80mm	12mm	150# 300# 500# 1000# 2000# 3000# 6000# 10000#
SPP100	4"/100mm		
SPP125	5"/125mm		
SPP150	6"/150mm		
SPP180	7"/180mm		
SPP200	8"/200mm		
SPP230	9"/230mm		
SPP250	10"/250mm		
SPP300	12"/300mm		
SPP350	14"/350mm		
SPP400	16"/400mm		
SPP430	17"/430mm		

Product Category >>>
Resin & Metal Floor Polishing Pad Series

Product Description

1- both dry&wet use, adapt to various working conditions
2-Mainly used to polish flat surface of granite, marble,concrete etc;
3-Long life span, high sharpness and higher efficiency



Resin & metal floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP4-WD5	4"/100mm	30# 50# 100# 150# 300#	dry & wet use



Resin & metal floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-WD8	3"/80mm	30# 50# 100# 150# 300#	dry & wet use
FP4-WD8	4"/100mm		



Metal grinding plate


Model	Diameter (inch/mm)	Grit	Use type
MGB-25	4"/100mm	16# 30# 50# 100# 220#	dry & wet use

Product Category >>>

Resin Polishing Pad For Concrete


Product Description

1-Both dry & wet use,simple work, match with heavy-duty polishing machine
2-Long life span, high sharpness with good polishing performance




Spirl floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
CF1-T4	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	dry & wet use
CF1-T6			



Dot floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
CF2-T6	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	dry & wet use



Square floor polishing pad


Model	Diameter (inch/mm)	Grit	Use type
CF3-T6	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	dry & wet use
CF1-T8			

Product Category >>>

Metal Polishing Pad For Concrete

Product Description

1-Both dry &wet use, less dust, match with heavy-duty polishing machine
2-Used for coarse grinding stone, concrete
3- high sharpness and efficiency with good polishing performance



Metal polishing pad

Model	Diameter (inch/mm)	Grit	Use type
MF1-T3	4"/100mm	50# 100# 200#	dry & wet use



Metal floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
MF2-T6	4"/100mm	50# 100# 200#	dry & wet use



Metal floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
MF3-T9	3"/80mm	50# 100# 200#	dry & wet use



Metal floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
MF4-T9	3"/80mm	50# 100# 200#	dry & wet use

Product Category >>>

Grinding wheel

Features:

Fast grinding, edge trimming, repairing and maintenance of stone and other similar material and it is used on angle grinder and pneumatic powder tools.



Turbo grinding wheel

Model	Diameter (inch/mm)	Arbor	Application
DGW-C90	90mm	Φ20/22.23mm 5/8"-11 M14	stone,concrete
DGW-B4/R4	4"/100mm		
DGW-115	4.5"/115mm		
DGW-125	5"/125mm		
DGW-180	7"/180mm		



Turbo grinding wheel

Model	Diameter (inch/mm)	Arbor	Application
CGW-100	4"/100mm	Φ20/22.23mm 5/8"-11 M14	stone,concrete
CGW-115	4.5"/115mm		
CGW-125	5"/125mm		
CGW-180	7"/180mm		



Double row grinding wheel

Model	Diameter (inch/mm)	Arbor	Application
DRW-115	4.5"/115mm	Φ20/22.23mm 5/8"-11 M14	stone,concrete
DRW-125	5"/125mm		
DRW-180	7"/180mm		

Product Category >>>

Trapezoid metal grinding plate

Product Category

1-Mainly be used for grinding the surface of concrete floor, wet & dry use, and also used for coarse grinding granite, marble
2-Long life span, higher sharpness with good polishing performance



Trapezoid metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-17	76x50x50x50	30# 50# 80# 100# 150#	Xingyi



Trapezoid metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-09	76x50x50x50	30# 50# 80# 100# 150#	Xingyi



Trapezoid metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-02	76x50x50x50	30# 50# 80# 100# 150#	HTC



Trapezoid metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-05	76x50x50x50	30# 50# 80# 100# 150#	Lavina, LVS120+

Product Category >>>

Trapezoid metal grinding plate

Features:

1-Mainly be used for grinding the surface of concrete floor, wet & dry use, and also used for coarse grinding granite, marble
2-Long life span, higher sharpness with good polishing performance



PCD grinding plate

Model	Specification (mm)	Specification	Application
MGB-43	76x50x50x50	PCD	



Metal Grinding Plate

Model	Specification (mm)	Specification	Application
MGB-42		30# 50# 80# 100# 150#	Husqvarna





Working scene
Chassis detail

Product Category >>>

Circular Grinding Plate For Concrete

Features:

1-Mainly be used for grinding the surface of concrete floor, wet & dry use, and also used for coarse grinding granite, marble
2-Long life span, higher sharpness with good polishing performance



Circular metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-22	100mm	30# 50# 80# 100# 150#	concrete floor coarse grinding granite,marble



Circular metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-23	100mm	30# 50# 80# 100# 150#	concrete floor coarse grinding granite,marble



Circular metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-15	80mm	30# 50# 80# 100# 150#	concrete floor coarse grinding granite,marble



Circular metal grinding plate

Model	Specification (mm)	Specification	Application
WMGB-40	100mm	30/36# 50/60# 100/120#	concrete floor coarse grinding granite,marble


Product Category >>>

Saw Blade

Features:

1-Widely used for cutting and nondestructive grooving on marble, ceramic tile,concrete on manual cutting machine
2-Sutable for dry/wet cutting

Diamond Sintered Saw Blade Series



Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SDB-115	4.5"	Φ115x12x1.8/2.0	20/22.23	granite
SDB-125	5"	Φ125x8x2.0	22.23	
SDB-150	6"	Φ150x8x2.2	22.23	
SDB-180	7"	Φ180x12x2.2	22.23	
SDB-190	7"	Φ190x13x2.2	22.23	
SDB-230	9"	Φ230x15x2.4	22.23	
SDB-250	10"	Φ250x10x2.6	22.23	

Diamond turbo Saw Blade Series



Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
STB-115	4.5"	Φ115x10x2.0	20/22.23	granite
STB-125	5"	Φ125x8x2.0	22.23	
STB-150	6"	Φ150x8x2.2	22.23	
STB-180	7"	Φ180x12x2.4	22.23	
STB-200	8"	Φ190x13x2.4	22.23	
STB-230	9"	Φ230x15x2.6	22.23	
STB-250	10"	Φ250x15x2.8	22.23	

Protection Teeth blade Series



Features:

1-The design of protection segments provides more effective protection of body and teeth
2-Widely used for cutting and nondestructive grooving on marble, ceramic tile,concrete on manual cutting machine
3-Sutable for dry/wet cutting

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
PTB-115S	4.5"	Φ115x8x2.0	20/22.23	granite
PTB-125S	5"	Φ125x8x2.2	22.23	
PTB-150S	6"	Φ150x8x2.2	22.23	
PTB-180S	7"	Φ180x8x2.4	22.23	
PTB-200S	8"	Φ200x8x2.6	22.23	
PTB-230S	9"	Φ230x8x2.6	22.23	
PTB-250S	10"	Φ250x8x2.8	22.23	

Concave saw blade series




Features:

1-Waving cutting For granite, marble, ceramic, comcrete etc
2- The design of protection segments provides more effective protection of body and teeth
3-Suitable for dry/ wet cutting

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
CBT-115	4.5"	Φ115x8x2.2/4.0	20/22.23	granite marble
CBT-125	5"	Φ125X8x2.4/4.0	22.23	
CBT-180	7"	Φ180x8x2.6/4.0	22.23	

X-type turbo Saw Blade Series



Features:

1-Widely used for cutting and non-destructive grooving on marble, ceramic tile,on manual cutting machine
2-Suitable for quick dry cutting, with a certain heat dissipation, and chipping removal capacity
3-With self-flange, to keep cutting balanced and smooth

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
STB-115X	4.5"	Φ115x10x1.2	20/22.23	marble /ceramics
STB-125X	5"	Φ125X10X1.4	22.23	
STB-150X	6"	Φ150x10x1.6	22.23	
STB-180X	7"	Φ180x10x1.8	22.23	
STB-200X	8"	Φ190x10x1.8	22.23	
STB-230X	9"	Φ230x10x2.0	22.23	
STB-250X	10"	Φ250x10x2.2	25.4/50	
STB-300X	12"	Φ300X10X2.2	25.4/50	
STB-350X	14"	Φ350X10X2.4	25.4/50	

Electroplated saw blade series



Features:

1-Widely used for cutting and nondestructive grooving on marble, ceramic tile,on manual cutting machine
2-Sharper, with better result
3-Sutable for dry/wet cutting


Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SEB-115	4.5"	Φ115x3X1.4	22.23 M14 5/8"-11	marble ceramics
SEB-125	5"	Φ125X3X1.4		
SEB-150	6"	Φ150x3x1.4		
SEB-180	7"	Φ180x3x1.6		
SEB-230	9"	Φ230x3x1.8		

Saw Blade For Granite




Model No.	Specification		Arbor(mm)	Segment Size
	Inches	Metric		
GS-350	14"	350	50/60	40x3.2x12/15 28x3.3x15
GS-400	16"	400	50/60	40x3.6x12/15
GS-450	18"	450	50/60	40x4.2x12/14
GS-500	20"	500	50/60	40x4.2x12/14
GS-600	24"	600	50/60	40x4.8x14
GS-800	32"	800	50/60	40x6.0x14

Saw Blade For Marble



Model No.	Specification		Arbor(mm)	Segment Size
	Inches	Metric		
GM-350	14"	350	50/60	40x3.0x8/10
GM-400	16"	400	50/60	40x3.2x8/10

Flat Segment Blade for Concrete



Model No.	Specification		Arbor(mm)	Segment Size
	Inches	Metric		
GC-350	14"	350	50/60	28x3.4x16
GC-400	16"	400	50/60	28x3.6x16
GC-500	20"	500	50/60	28x4.0x16

Wood TCT Saw Blade



Model No.	Specification		Arbor (mm)	Application
	Inches	Diameter x Height x Thickness		
DB-W430/40	/	Φ110x1.8Wx30/40T	20/22.23	wood
DB-W640/60	6"	Φ150×1.8W×40/60T	20/22.23	
DB-W740/60/80	7"	Φ180×2.2W×40/60/80T	25.4	
DB-W860	8"	Φ200×2.2W×60T	25.4	
DB-W940/60/80	9"	Φ230×2.6W×40/60/80T	25.4	
DB-W1060/80	10"	Φ250×3.0W×60/80T	25.4	
DB-W1260/80	12"	Φ300×3.2W×60/80T	30	

Aluminum TCT Saw Blade



Model No.	Specification		Arbor (mm)	Application
	Inches	Diameter x Height x Thickness		
DB-A10100/120	10"	Φ250×3.0W×100/120T	25.4	Aluminium
DB-A12100/120	12"	Φ300×3.2W×100/120T	30	



Product Category >>>

Drill bit




Features:

1-Universal wet/dry drilling core bit
2-High effciency, long life and no breaking of segments
3-Applicable for drilling of stone (granite, marble, and other hard stone), concrete, wall brick



Drill bit for Stone

Model No.	Specification(mm)		Feature
	Inches	Diameter x Height x Thickness	
DCB-16	5/8"	Φ16x2.5x10(Continuous)	stone
DCB-20	3/4"	Φ20x2.5x10(Continuous)	stone
DCB-25	1"	Φ25x2.5x10(Continuous)	stone
DCB-32	1-1/4"	Φ32-14x3.0x10	stone
DCB-35	1-3/8"	Φ35-16x3.0x10	stone
DCB-38	1-1/2"	Φ38-20x3.0x10	stone
DCB-50	2"	Φ50-20x3.0x10	stone
Length 4"/100mm Core Bit with M14 or 5/8"-11 Adaptor			



Drill bit for Concrete

Model No.	Specification(mm)	Feature
	Diameter x Length x Height x Thickness	
DB-TW32	Φ32-26x10x3.7	concrete/wall brick
DB-TW40	Φ40-25x10x3.7	concrete/wall brick
DB-TW51	Φ51-22x10x4.0	concrete/wall brick
DB-TW56	Φ56-24x10x4.0	concrete/wall brick
DB-TW63	Φ63-24x10x4.0	concrete/wall brick
DB-TW66	Φ66-24x10x4.0	concrete/wall brick
DB-TW76	Φ76-24x10x4.0	concrete/wall brick
DB-TW89	Φ89-24x10x4.0	concrete/wall brick
DB-TW120	Φ120-24x10x4.2	concrete/wall brick
DB-TW168	Φ168-24x10x4.5	concrete/wall brick

Product Category >>>

Diamond segment

Features:

Suitable for saw blade for cutting granite, marble block , diamond grinding disc, drill bit
















Product Category >>>

Diamond wire saw series

Features:

It is one of the most advance cutting tools widely used for quarrying, block squaring & profiling and cutting for Granite,Marble,Sandstone & Reinforced Concrete, Asphalt, etc.









Model No.	Diameter(mm)	Fixed by	Beads/m	Cutting material
DWG115	11.5	Rubber or Rubber + spring	40 37	Granite quarrying
DWG110	11.0			
DWG105	10.5			
DWM115	11.5	Rubber	40 37	Marble quarrying
DWM110	11.0			
DWM105	10.5			
DWC115	11.5	Rubber + spring	40	Reinforced concrete
DWC110	11.0			
DWC105	10.5			

Product Category >>>

Top Grade Diamond


Features:

1-Most of the crystals are irregular equal volume, the crystal surface is wear-resistant and sharp, which can achieve ultra-high purity, and the impurity content is <0.02%

2- While maintaining a high cutting ability, it can achieve a high-precision polishing effect, which is not prone to scratches, and is especially suitable for workpieces with high hardness or composed of different hardness materials;

3-Mainly used for resin tool, ceramic bond, grinding wheel, saw blade, electroplated drill and other diamond tool products

4-Grit Number: #30/35, #35/40, #40/45, #45/50, #50/60, #60/70, #70/80, #80/100, #100/120, #120/140, #140/170, #170/200, #200/230, #230/270, #270/325, #325/400 & Fine powder (#300 - #15000)






Product Category >>>

Wax for Stone

Features:

1- Special preparation for polishing stone to strengthen the brightness
2-Recover the gloss
3-Get dry quickly to heighten efficiency
4-Used for polishing the surfaces, corners, edges





Carborundum grinding wheel



Features:
1- Higher efficiency and longer span life
2-Used for grinding & polishing stone, concrete, metal

Model No.	Diameter (inch/mm)	Grit	Adaptor
CGW-100	4"/100mm	#16 #24 #36 #46 #60 #80 #100 #120 #180 #200 #220	M14 5/8"-11
CGW-125	5"/125mm		

Backer Pad



Model No.	Specification		Adaptor
	Inches	Diameter(mm)	
backer pad (rubber/Sponge /Aluminium)	3"	80	M14 or 5/8"-11
	4"	100	M14 or 5/8"-11
	5"	125	M14 or 5/8"-11
	7"	180	M14 or 5/8"-11